




Excellence Cluster Universe




Adding new physics classes into GANDALF

David Hubber
Giovanni Rosotti

USM, LMU, München
Excellence Cluster Universe, Garching bei
München, Germany;
University of Cambridge, UK

29th October 2015



Plan

- Adding physics classes obviously requires you to get to know the general structure of the GANDALF code a little better
- **No need to know everything about the C++ code of course;** just the classes you are changing/adding and how they interface to the relevant part of the code
- We will go over a few important parts of the GANDALF code structure
- Then **we will try a few small exercises adding in new classes into GANDALF** (and maybe even running with some basic ics)


The GANDALF source directory

- The GANDALF source directory (gandalf/src) consists of several folders containing several file categories :

- Common
- GradhSph
- Headers
- Hydrodynamics
- MeshlessFV
- Mpi
- Nbody
- Radiation
- SM2013
- Thermal
- Tree
- UnitTesting

If you want to know more about the class structure in GANDALF, this is where you should look!

The SphSimulation Main Loop (simplified)



Main classes

- SphIntegration: time integration (leapfrog, ...)
- SphNeighbourSearch: sets-up the loops for smoothing length and force calculation
- Sph: contains the code that actually computes SPH quantities
- Nbody, sinks: self-explanatory
- Radiation: in case you are using radiative transfer
- The SPH Kernel is also a class!
- It's very important...
- ...but you can't see it from the main loop
- If you want to add a new kernel in GANDALF it's very easy

Example : The Sph class


Used for example in the smoothing length calculation in GradhSphBruteForce.cpp (easier to understand than the tree version):

```
for (i=0; i<Nhydro; i++) {  
  
    // Skip over inactive particles  
    if (!sphdata[i].active || sphdata[i].itype == dead) continue;  
  
    for (k=0; k<ndim; k++) rp[k] = sphdata[i].r[k];  
  
    // Compute distances and the reciprocal between the current particle and all neighbours here  
    //-----  
    for (jj=0; jj<Nneib; jj++) {  
        j = neiblist[jj];  
        for (k=0; k<ndim; k++) dr[k] = sphdata[j].r[k] - rp[k];  
        drsqd[jj] = DotProduct(dr,dr,ndim);  
    }  
    //-----  
  
    // Compute all SPH gather properties  
    //okflag =  
    sph->ComputeH(i,Nneib,big_number,m,mu,drsqd,gpot,sphdata[i],nbody);  
  
}
```

Here we call sph to compute H

Example : The Sph class

- The Hydrodynamics/Sph class structure :



- Most important functions/data:

```
int ComputeH(const int, const int, const FLOAT, FLOAT *, FLOAT *, FLOAT *, FLOAT *,
             SphParticle<ndim> &, Nbody<ndim> *);
void ComputeThermalProperties(SphParticle<ndim> &);
void ComputeSphGravForces(const int, const int, int *, SphParticle<ndim> &, SphParticle<ndim> *);
void ComputeSphHydroGravForces(const int, const int, int *,
                               SphParticle<ndim> &, SphParticle<ndim> *);
void ComputeSphHydroForces(const int, const int, const int *, const FLOAT *, const FLOAT *,
                           const FLOAT *, SphParticle<ndim> &, SphParticle<ndim> *);
void ComputeSphNeibDudt(const int, const int, int *, FLOAT *, FLOAT *, FLOAT *,
                        SphParticle<ndim> &, SphParticle<ndim> *) {};
void ComputeSphDerivatives(const int, const int, int *, FLOAT *, FLOAT *, FLOAT *,
                           SphParticle<ndim> &, SphParticle<ndim> *) {};
void ComputeDirectGravForces(const int, const int, int *,
                              SphParticle<ndim> &, SphParticle<ndim> *);
void ComputeStarGravForces(const int, NbodyParticle<ndim> **, SphParticle<ndim> &);

kernelclass<ndim> kern;           ///< SPH kernel
GradhSphParticle<ndim> *sphdata; ///< Pointer to particle data
```


Constructing the right objects!

- Depending on the value of the parameters, construct the right object in ProcessParameters (see example below)
- The function is defined in SphSimulation.cpp (if you use SPH).
- Parameters specific to the SPH flavour/Nbody are defined in ProcessNbodyParameters (defined in Simulation.cpp) or ProcessSphParameters (defined in GradhSphSimulation.cpp for GradhSph)

```
if (intparams["tabulated_kernel"] == 1) {  
    sph = new GradhSph<ndim, TabulatedKernel>  
        (intparams["hydro_forces"], intparams["self_gravity"],  
         floatparams["alpha_visc"], floatparams["beta_visc"],  
         floatparams["h_fac"], floatparams["h_converge"], aisc, acond,  
         tdavisc, stringparams["gas_eos"], KernelName, simunits, simparams);  
}
```

Reading and processing parameters for your new physics class

- Initialise the variables you need in your constructor (e.g. in src/GradhSph/GradhSph.cpp)

```
template <int ndim, template<int> class kernelclass>
GradhSph<ndim, kernelclass>::GradhSph(int hydro_forces_aux, int self_gravity_aux,
    FLOAT alpha_visc_aux, FLOAT beta_visc_aux,
    FLOAT h_fac_aux, FLOAT h_converge_aux,
    aviscenum avisc_aux, acondenum acond_aux,
    tdaviscenum tdavisc_aux, string gas_eos_aux,
    string KernelName, SimUnits &units, Parameters *params):
Sph<ndim>(hydro_forces_aux, self_gravity_aux, alpha_visc_aux, beta_visc_aux,
    h_fac_aux, h_converge_aux, avisc_aux, acond_aux, tdavisc_aux,
    gas_eos_aux, KernelName, sizeof(GradhSphParticle<ndim>), units, params),
kern(kernelclass<ndim>(KernelName))
{
    this->kernp      = &kern;
    this->kernfac    = (FLOAT) 1.0;
    this->kernfacsqd = (FLOAT) 1.0;
    this->kernrange  = this->kernp->kernrange;
}
```

This is an initialisation list

Initialisation list

- Initialisation lists are used to :
 - Initialise 'const' variables in classes
 - Call the constructor of parent classes (if needed)

```
class Car {  
    Car(int);  
    ~Car();  
  
    const int colour;  
    bool automatic;  
};
```

```
Car::Car(int _color) {  
    color = _color;  
    automatic = false;  
};
```

```
Car::Car(int _color) : colour(_colour) {  
    automatic = false;  
};
```

```
class BatMobile() : public Car {  
    BatMobile(bool, int);  
    ~BatMobile();  
  
    const bool flameThrower;  
}
```

```
BatMobile::BatMobile(bool _flameThrower, int _color) :  
    Car(_color), flameThrower(_flameThrower) {}  
};
```

Creating your own classes

- Add the definition in the header files
- You probably want to inherit from one of the existing classes (remember: look in src/Headers)
- Implement your class in a cpp file
- If you add a new file, remember to add it to the makefile!
- Don't forget to initialise your object in ProcessParameters!
- Initialise all the variables you need in the constructor (don't blame me if you don't and you then have problems because of uninitialised variables)

Practical 1 : Adding a new unit into the SimUnits class

- One of the simplest classes used in GANDALF is the **SimUnit** class, which was discussed in the 'Units and scaling' talk
- Add a new SimUnit class of some new (potentially useful) quantity, e.g.
 - Kinematic viscosity
 - Specific entropy
- Remember to add a new parameter (in Parameters.cpp) in order to allow the user to change the new unit in the parameters file

Practical 2 : Adding a new external gravitational potential field

- Another simple class to add is to generate a new External Gravitational Potential field
- Open up the File `src/Headers/ExternalPotential.h` and read through the few implementations
- Create a new ExternalPotential class for some simple potential field, e.g.
 - Point source
 - Spiral galactic potential
 - NFW profile?
- Remember to edit the section of code that creates the ExternalPotential object to create it if the option is selected in the parameters file
- Note that this is an example of a class that exists exclusively in the header file. There is no need to create any `‘.cpp’` file

Practical 3 : Add a new EOS class

- A slightly more complicated (but relatively simple) class to add is a new EOS (Equation of State) class
- This class contains several functions that need to be set to compute various thermal quantities, e.g. Pressure, Temperature, SoundSpeed, etc..
- Create a new EOS class for a, e.g.
 - a Polytropic Equation of State
 - Some other EOS you might need in the future
- Remember to add the new Object construction in the relevant place (the Sph constructor)